Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L48	38	(ocr (text NEAR recogni$6)) SAME correction SAME ((stor$4 maintain$4 retain$4 sav$4 preserv$4) NEAR2 (original$1 input$1 image$1 data))	USPAT	OR	OFF	2005/06/22 09:54
L47	176	(ocr (text NEAR recogni$6)) SAME correction AND ((stor$4 maintain$4 retain$4 sav$4 preserv$4) NEAR2 (original$1 input$1 image$1 data))	USPAT	OR	OFF	2005/06/22 09:54
L44	246	(ocr (text NEAR recogni$6)) SAME correction	USPAT	OR	OFF	2005/06/22 09:53
L46	16	(ocr (text NEAR recogni$6)) SAME (user NEAR2 correction$1)	USPAT	OR	OFF	2005/06/22 09:51
L45	14	(ocr (text NEAR recogni$6)) SAME (user NEAR2 correction)	USPAT	OR	OFF	2005/06/22 09:51
L43	1	document SAME (maintain NEAR2 image) AND (correspond$6 NEAR2 text)	USPAT	OR	OFF	2005/06/22 09:41
L41	0	document SAME (maintain NEAR2 image) SAME (correspond$6 NEAR2 text)	USPAT	OR	OFF	2005/06/22 09:41
L40	116	document SAME (maintain NEAR2 image)	USPAT	OR	OFF	2005/06/22 09:40
L39	13	("4674065" | "4773039" | "4864502" | "5206949" | "5359673" | "5434929" | "5440481" | "5541836" | "5625711" | "5625721" | "5724457" | "5787197" | "5806068").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 09:40
L38	32	document$1 SAME (correspond$6 NEAR3 text NEAR3 image$1)	USPAT	OR	OFF	2005/06/22 09:05
L37	37	document$1 SAME (link$3 NEAR3 text NEAR3 image$1)AND ((preserv$4 sav$4 retain$4) NEAR2 (original$1 data source$1))	USPAT	OR	OFF	2005/06/22 09:04
L36	114	document$1 SAME (link$3 NEAR3 text NEAR3 image$1)	USPAT	OR	OFF	2005/06/22 09:03
L35	38	document$1 SAME (link$3 NEAR3 (text AND image$1)) AND ((preserv$4 sav$4 retain$4) NEAR2 (original$1 data source$1))	USPAT	OR	OFF	2005/06/22 09:02
L33	143	document$1 SAME (link$3 NEAR3 (text AND image$1))	USPAT	OR	OFF	2005/06/22 09:00
L34	1	document$1 SAME (link$3 NEAR3 (text AND image$1)) SAME (ocr recogni$6)	USPAT	OR	OFF	2005/06/22 08:59
L32	12	(link$3 NEAR3 (document AND text)) SAME (ocr recogni$6)	USPAT	OR	OFF	2005/06/22 08:58

L31	5	(link$3 NEAR3 (document AND text)) SAME (ocr recognition)	USPAT	OR	OFF	2005/06/22 08:58
L30	605	link$3 NEAR3 (document AND text)	USPAT	OR	OFF	2005/06/22 08:57
L29	31	(stored NEAR (image$1 handwrit$1 source)) SAME index SAME (ocr recogni$6 extract$6) SAME retriev$5	USPAT	OR	OFF	2005/06/22 08:57
L28	86	(stored NEAR (image$1 handwrit$1 source)) SAME index SAME (ocr recogni$6 extract$6)	USPAT	OR	OFF	2005/06/22 08:25
L27	705	(stored NEAR (image$1 handwrit$1 source)) SAME index	USPAT	OR	OFF	2005/06/22 08:24
L26	11	(stored NEAR (image$1 handwrit$1 source)) SAME (extract$6 NEAR text)	USPAT	OR	OFF	2005/06/22 08:24
L25	0	(stored NEAR (image$1 handwrit$1 source)) SAME text SAME (on$1demand "on demand")	USPAT	OR	OFF	2005/06/22 08:20
L24	999	(stored NEAR (image$1 handwrit$1 source)) SAME text	USPAT	OR	OFF	2005/06/22 08:20
L23	30485	stored NEAR (image$1 handwrit$1 source)	USPAT	OR	OFF	2005/06/22 08:20
L22	2	inbit.as.	USPAT	OR	OFF	2005/06/22 08:10
L19	7	("5544255" | "5732212" | "6091835" | "6249283" | "6253238" | "6449739" | "6510461").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 08:09
L18	20	ocr AND ((preserv$4 save$4 retain$4) NEAR2 source)	US-PGPUB; USPAT	OR	OFF	2005/06/22 08:06
L17	10	ocr AND ((preserv$4 save$4 retain$4) NEAR2 source)	USPAT	OR	OFF	2005/06/22 08:06
L16	0	ocr SAME ((preserv$4 save$4 retain$4) NEAR2 source)	USPAT	OR	OFF	2005/06/22 08:05
L14	44	ocr AND (on$1demand "on demand") AND source	USPAT	OR	OFF	2005/06/22 08:04
L13	58	ocr AND (on$1demand "on demand")	USPAT	OR	OFF	2005/06/22 08:04
L15	2	ocr AND ((on$1demand "on demand") SAME (source original))	USPAT	OR	OFF	2005/06/22 08:02
L12	0	ocr SAME (on$1demand "on demand")	USPAT	OR	OFF	2005/06/22 08:01
L11	56	ocr SAME ((preserv$4 sav$3 retain$3) NEAR2 (image original data handwrit$6))	USPAT	OR	OFF	2005/06/22 08:01
L10	53	ocr SAME ((preserv$4 sav$3 retain$3) NEAR2 (image original data))	USPAT	OR	OFF	2005/06/22 07:52
L9	30	ocr SAME ((preserv$4 sav$3 retain$3) NEAR2 (image original))	USPAT	OR	OFF	2005/06/22 07:52
L8	291	ocr AND ((preserv$4 sav$3 retain$3) NEAR2 (image original))	USPAT	OR	OFF	2005/06/22 07:52
L7	66	ocr AND (preserv$4 NEAR2 data)	USPAT	OR	OFF	2005/06/22 07:52

L6	4	ocr AND (preserv$4 NEAR2 handwrit$6)	USPAT	OR	OFF	2005/06/22 07:37
L5	554	ocr AND preserv$4	USPAT	OR	OFF	2005/06/22 07:35
L1	9	ocr AND (preserv$4 NEAR original)	USPAT	OR	OFF	2005/06/22 07:35
L4	6	("4731861" | "5216725" | "5325444" | "5491760" | "5625711" | "6104500").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/22 07:27
L3	10	ocr AND (preserv$4 NEAR (original raw input$4))	USPAT	OR	OFF	2005/06/22 07:24
S204	11	((document$1 NEAR2 tree$1) (structured NEAR2 document$1)) AND ((reserv$4 select$4) NEAR2 node$1) AND ((edit$4 modif$8) NEAR2 text)	USPAT	OR	OFF	2005/06/15 16:04
S203	79	((document$1 NEAR2 tree$1) (structured NEAR2 document$1)) AND ((reserv$4 select$4) NEAR2 node$1)	USPAT	OR	OFF	2005/06/15 16:04
S202	10	((modif$4 edit$4 access$4) SAME (text NEAR2 node$1)) AND (document$1 NEAR2 tree$1)	USPAT	OR	OFF	2005/06/15 16:04
S201	90	(modif$4 edit$4 access$4) SAME (text NEAR2 node$1)	USPAT	OR	OFF	2005/06/15 16:04
S200	19	(modif$4 edit$4 access$4) NEAR3 (text NEAR2 node$1)	USPAT	OR	OFF	2005/06/15 16:04
S199	2	((modif$4 edit$4 access$4) NEAR2 node$1) SAME ((structured ADJ document$1) (document NEAR tree) (document$1 NEAR3 (tree NEAR2 structure)))	USPAT	OR	OFF	2005/06/15 16:04
S198	2	((modif$4 edit$4) NEAR2 node$1) SAME ((structured ADJ document$1) (document NEAR tree) (document$1 NEAR3 (tree NEAR2 structure)))	USPAT	OR	OFF	2005/06/15 16:04
S197	22	derose.in. AND document$1	USPAT	OR	OFF	2005/06/15 16:04
S196	0	(text NEAR5 input NEAR5 interface) SAME ((plurality variety several multiple) NEAR2 (applications programs))	USPAT	OR	OFF	2005/06/15 16:04
S195	282	text NEAR5 input NEAR5 interface	USPAT	OR	OFF	2005/06/15 16:04
S194	529	(715/530).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S193	529	(715/530).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S192	512	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S191	512	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04

S19 0	50	multimedia SAME annotation SAME text	USPAT	OR	OFF	2005/06/15 16:04
S18 9	13	multimedia ADJ2 annotation	USPAT	OR	OFF	2005/06/15 16:04
S18 8	6	("4615002" | "5175855" | "5285387" | "5369778" | "5371675" | "5375241"). PN.	USPAT	OR	OFF	2005/06/15 16:04
S18 7	5	"5659769".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S18 6	6	text ADJ2 services ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S18 5	18	(text ADJ2 manager) AND (input ADJ2 devices)	USPAT	OR	OFF	2005/06/15 16:04
S18 4	6	"5946499".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S18 3	2	text ADJ2 service ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S18 2	6	"5511193".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S18 1	11	("5243149" | "5420943" | "5500920" | "5511193" | "5517578" | "5546538" | "5625814" | "5649060" | "5659769" | "5666139" | "5687254").PN.	USPAT	OR	OFF	2005/06/15 16:04
S18 0	14	("4559598" | "5040113" | "5063600" | "5170348" | "5329609" | "5392447" | "5479536" | "5574482" | "5614926" | "5666139" | "5677710" | "5724457" | "5838302" | "5917476").PN.	USPAT	OR	OFF	2005/06/15 16:04
S17 9	19	plurality NEAR5 text NEAR5 input NEAR5 device	USPAT	OR	OFF	2005/06/15 16:04
S17 8	71	text NEAR5 framework	USPAT	OR	OFF	2005/06/15 16:04
S17 7	10	("4513391" | "4651300" | "4868765" | "5272628" | "5303149" | "5560009" | "5701471" | "5859636" | "5890165" | "5956726").PN.	USPAT	OR	OFF	2005/06/15 16:04
S17 6	6	("5946499").URPN.	USPAT	OR	OFF	2005/06/15 16:04
S17 5	50	multimedia SAME annotation SAME text	USPAT	OR	OFF	2005/06/15 16:04
S17 4	13	multimedia ADJ2 annotation	USPAT	OR	OFF	2005/06/15 16:04
S17 3	6	("4615002" | "5175855" | "5285387" | "5369778" | "5371675" | "5375241"). PN.	USPAT	OR	OFF	2005/06/15 16:04
S17 2	5	"5659769".URPN.	USPAT	OR	OFF	2005/06/15 16:04

S17 1	6	text ADJ2 services ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S17 0	18	(text ADJ2 manager) AND (input ADJ2 devices)	USPAT	OR	OFF	2005/06/15 16:04
S16 9	6	"5946499".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S16 8	2	text ADJ2 service ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S16 7	6	"5511193".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S16 6	11	("5243149" | "5420943" | "5500920" | "5511193" | "5517578" | "5546538" | "5625814" | "5649060" | "5659769" | "5666139" | "5687254").PN.	USPAT	OR	OFF	2005/06/15 16:04
S16 5	14	("4559598" | "5040113" | "5063600" | "5170348" | "5329609" | "5392447" | "5479536" | "5574482" | "5614926" | "5666139" | "5677710" | "5724457" | "5838302" | "5917476").PN.	USPAT	OR	OFF	2005/06/15 16:04
S16 4	19	plurality NEAR5 text NEAR5 input NEAR5 device	USPAT	OR	OFF	2005/06/15 16:04
S16 3	71	text NEAR5 framework	USPAT	OR	OFF	2005/06/15 16:04
S16 2	10	("4513391" | "4651300" | "4868765" | "5272628" | "5303149" | "5560009" | "5701471" | "5859636" | "5890165" | "5956726").PN.	USPAT	OR	OFF	2005/06/15 16:04
S16 1	1	(multimedia ADJ2 annotation) SAME text	USPAT	OR	OFF	2005/06/15 16:04
S16 0	1	(multimedia ADJ2 annotation) SAME text	USPAT	OR	OFF	2005/06/15 16:04
S15 9	529	(715/530).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S15 8	512	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S15 7	178	(text ADJ2 manager) AND application	USPAT	OR	OFF	2005/06/15 16:04
S15 6	191	text ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S15 5	2	common NEAR5 text NEAR5 framework	USPAT	OR	OFF	2005/06/15 16:04
S15 4	331	text NEAR5 input$4 NEAR5 interfac$4	USPAT	OR	OFF	2005/06/15 16:04
S15 3	529	(715/530).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S15 2	512	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04

S15 1	178	(text ADJ2 manager) AND application	USPAT	OR	OFF	2005/06/15 16:04
S15 0	191	text ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S14 9	2	common NEAR5 text NEAR5 framework	USPAT	OR	OFF	2005/06/15 16:04
S14 8	529	(715/530).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S14 7	512	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S14 6	50	multimedia SAME annotation SAME text	USPAT	OR	OFF	2005/06/15 16:04
S14 5	13	multimedia ADJ2 annotation	USPAT	OR	OFF	2005/06/15 16:04
S14 4	6	("4615002" | "5175855" | "5285387" | "5369778" | "5371675" | "5375241").PN.	USPAT	OR	OFF	2005/06/15 16:04
S14 3	5	"5659769".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S14 2	6	text ADJ2 services ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S14 1	18	(text ADJ2 manager) AND (input ADJ2 devices)	USPAT	OR	OFF	2005/06/15 16:04
S14 0	6	"5946499".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S13 9	2	text ADJ2 service ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S13 8	6	"5511193".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S13 7	11	("5243149" | "5420943" | "5500920" | "5511193" | "5517578" | "5546538" | "5625814" | "5649060" | "5659769" | "5666139" | "5687254").PN.	USPAT	OR	OFF	2005/06/15 16:04
S13 6	14	("4559598" | "5040113" | "5063600" | "5170348" | "5329609" | "5392447" | "5479536" | "5574482" | "5614926" | "5666139" | "5677710" | "5724457" | "5838302" | "5917476").PN.	USPAT	OR	OFF	2005/06/15 16:04
S13 5	19	plurality NEAR5 text NEAR5 input NEAR5 device	USPAT	OR	OFF	2005/06/15 16:04
S13 4	71	text NEAR5 framework	USPAT	OR	OFF	2005/06/15 16:04
S13 3	10	("4513391" | "4651300" | "4868765" | "5272628" | "5303149" | "5560009" | "5701471" | "5859636" | "5890165" | "5956726").PN.	USPAT	OR	OFF	2005/06/15 16:04

S13 2	1	(multimedia ADJ2 annotation) SAME text	USPAT	OR	OFF	2005/06/15 16:04
S13 1	529	(715/530).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S13 0	512	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S12 9	178	(text ADJ2 manager) AND application	USPAT	OR	OFF	2005/06/15 16:04
S12 8	191	text ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S12 7	2	common NEAR5 text NEAR5 framework	USPAT	OR	OFF	2005/06/15 16:04
S12 6	331	text NEAR5 input$4 NEAR5 interfac$4	USPAT	OR	OFF	2005/06/15 16:04
S12 5	6	("5946499").URPN.	USPAT	OR	OFF	2005/06/15 16:04
S12 4	529	(715/530).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S12 3	512	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S12 2	50	multimedia SAME annotation SAME text	USPAT	OR	OFF	2005/06/15 16:04
S12 1	13	multimedia ADJ2 annotation	USPAT	OR	OFF	2005/06/15 16:04
S12 0	1	(multimedia ADJ2 annotation) SAME text	USPAT	OR	OFF	2005/06/15 16:04
S11 9	6	("4615002" | "5175855" | "5285387" | "5369778" | "5371675" | "5375241").PN.	USPAT	OR	OFF	2005/06/15 16:04
S11 8	5	"5659769".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S11 7	529	(715/530).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04
S11 6	6	text ADJ2 services ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S11 5	18	(text ADJ2 manager) AND (input ADJ2 devices)	USPAT	OR	OFF	2005/06/15 16:04
S11 4	178	(text ADJ2 manager) AND application	USPAT	OR	OFF	2005/06/15 16:04
S11 3	191	text ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04
S11 2	6	"5946499".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S11 1	2	text ADJ2 service ADJ2 manager	USPAT	OR	OFF	2005/06/15 16:04

S11 0	6	"5511193".URPN.	USPAT	OR	OFF	2005/06/15 16:04
S10 9	11	("5243149" | "5420943" | "5500920" | "5511193" | "5517578" | "5546538" | "5625814" | "5649060" | "5659769" | "5666139" | "5687254").PN.	USPAT	OR	OFF	2005/06/15 16:04
S10 8	14	("4559598" | "5040113" | "5063600" | "5170348" | "5329609" | "5392447" | "5479536" | "5574482" | "5614926" | "5666139" | "5677710" | "5724457" | "5838302" | "5917476").PN.	USPAT	OR	OFF	2005/06/15 16:04
S10 7	19	plurality NEAR5 text NEAR5 input NEAR5 device	USPAT	OR	OFF	2005/06/15 16:04
S10 6	71	text NEAR5 framework	USPAT	OR	OFF	2005/06/15 16:04
S10 5	2	common NEAR5 text NEAR5 framework	USPAT	OR	OFF	2005/06/15 16:04
S10 4	10	("4513391" | "4651300" | "4868765" | "5272628" | "5303149" | "5560009" | "5701471" | "5859636" | "5890165" | "5956726").PN.	USPAT	OR	OFF	2005/06/15 16:04
S10 3	512	(715/531).CCLS.	USPAT; USOCR	OR	OFF	2005/06/15 16:04